

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	STARANE™ HI-LOAD HL
Unique Formula Identifier (UFI)	:	85X4-901Q-900F-5660

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	End use herbicide product
------------------------------	---	---------------------------

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Ltd
Melbourn Science Park - Cambridge Road - Unit H4, Building H
Melbourn Cambridgeshire - SG8 6HB
UNITED KINGDOM

Customer Information Number	:	+44 8006 89 8899
E-mail address	:	SDS@corteva.com

1.4 Emergency telephone number

+44 161 88 41235

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2	H319: Causes serious eye irritation.
----------------------------	--------------------------------------

Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
-------------------------------------	--

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Specific target organ toxicity - single exposure, Category 3, Respiratory system
Short-term (acute) aquatic hazard, Category 1
Long-term (chronic) aquatic hazard, Category 1

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements :	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H335	May cause respiratory irritation.
	H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0 Revision Date: 05.09.2025 SDS Number: 800080004813 Date of last issue: -
Date of first issue: 05.09.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Fluroxypyr-meptyl	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 100	45.52
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide	Not Assigned 909-125-3 01-2119974115-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 30 - < 40
Polyethylene glycol mono(tristyrylphenyl)ether	99734-09-5	Aquatic Chronic 3; H412	>= 3 - < 10
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6 01-2119964467-24	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 2.5 - < 3
Hydrocarbons, C10, aromatics, <1% naphthalene	1189173-42-9 01-2119463583-34-0008, 01-2119463583-34-0009, 01-2119463583-34-	STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 2.5 - < 3

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0 Revision Date: 05.09.2025 SDS Number: 800080004813 Date of last issue: -
Date of first issue: 05.09.2025

N-methyl-2-pyrrolidone	0010		
	872-50-4 212-828-1 606-021-00-7 01-2119472430-46	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360D STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit STOT SE 3; H335 >= 10 % STOT SE 3; H335 >= 10 %	>= 0.1 - < 0.3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.
- If swallowed : No emergency medical treatment necessary.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
Skin contact may aggravate preexisting dermatitis.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
Dry chemical
Alcohol-resistant foam

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
Do not allow run-off from fire fighting to enter drains or water courses.
Container may rupture from gas generation in a fire situation.
Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.
Dense smoke is produced when product burns.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
Combustion products may include and are not limited to:
Nitrogen oxides (NO_x)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Handle in accordance with good industrial hygiene and safety practice.
Avoid exposure - obtain special instructions before use.
Smoking, eating and drinking should be prohibited in the application area.
Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Do not get in eyes.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store near acids.
Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-methyl-2-pyrrolidone	872-50-4	Long-term exposure limit (8-hour TWA reference period)	10 ppm 40 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		Short-term exposure limit (15-	20 ppm 80 mg/m ³	GB EH40

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0 Revision Date: 05.09.2025 SDS Number: 800080004813 Date of last issue: -
Date of first issue: 05.09.2025

		minute reference period)		
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		Limit Value - eight hours	10 ppm 40 mg/m3	2009/161/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		Short term exposure limit	20 ppm 80 mg/m3	2009/161/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		Long term exposure limit	10 ppm 40 mg/m3	2004/37/EC
	Further information: Skin, Carcinogens or mutagens			
		Short term exposure limit	20 ppm 80 mg/m3	2004/37/EC
	Further information: Skin, Carcinogens or mutagens			

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection : Use chemical goggles.
Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guide-

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

lines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.
In misty atmospheres, use an approved particulate respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid.
Colour	: Yellow to brown
Odour	: Spicy
Odour Threshold	: No data available
pH	: 4.58 (23.3 °C) Concentration: 1 % Method: ASTM E70
Melting point/ range	: Not applicable
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 100 °C Method: ASTM D3278, closed cup
Evaporation rate	: No data available
Flammability	: Not applicable to liquids
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.05 g/cm ³ (20 °C) Method: OECD 109
Solubility(ies)	
Water solubility	: emulsifiable
Auto-ignition temperature	: 358 °C Method: EC Method A15
Viscosity	
Viscosity, dynamic	: 28.2 mPa.s (40 °C) Method: OECD 114

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Viscosity, kinematic	:	No data available
Explosive properties	:	No Method: EEC A14 GLP: yes
Oxidizing properties	:	No significant increase (>5C) in temperature. Reference substance: Zinc.GLP: yes

9.2 Other information

Surface tension	:	32 mN/m, 25 °C, EC Method A5
Molecular weight	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. Unstable at elevated temperatures.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Strong acids Strong bases
--------------------	---	------------------------------

10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to:

Nitrogen oxides (NO_x)
Carbon oxides

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
Symptoms: No deaths occurred at this concentration.
Remarks: Information source: Internal study report |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: No deaths occurred at this concentration.
Remarks: Information source: Internal study report |

Components:

Fluroxypyr-meptyl:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 423
Symptoms: No deaths occurred at this concentration. |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 1.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Maximum attainable concentration. |
| Acute dermal toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: No deaths occurred at this concentration. |

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat): > 2,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 3.551 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist |

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Polyethylene glycol mono(tristyrylphenyl)ether:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: Estimated.
Remarks: Typical for this family of materials.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: Estimated.
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Typical for this family of materials.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD 401 or equivalent
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity
Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - < 1,600 mg/kg
Method: OECD 402 or equivalent
Remarks: For similar material(s):

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar material(s):
Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: For similar material(s):

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat, male and female): 4,150 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Species : Rabbit
Method : Draize Test
Result : No skin irritation
Remarks : Information source: Internal study report

Components:

Fluroxypyr-meptyl:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Species : Rabbit
Result : Skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Skin irritation

N-methyl-2-pyrrolidone:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation
Remarks : Information source: Internal study report

Components:

Fluroxypyr-meptyl:

Species : Rabbit
Method : OECD Test Guideline 405

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

Result : No eye irritation

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Species : Rabbit
Result : Corrosive

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Corrosive

N-methyl-2-pyrrolidone:

Species : Rabbit
Result : Eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 429
Remarks : Information source: Internal study report

Components:

Fluoroxypyr-meptyl:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : For similar material(s):

Polyethylene glycol mono(tristyrylphenyl)ether:

Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : For similar material(s):

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : For similar material(s):

Hydrocarbons, C10, aromatics, <1% naphthalene:

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : For similar material(s):

N-methyl-2-pyrrolidone:

Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Fluroxypyr-meptyl:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

Polyethylene glycol mono(tristyrylphenyl)ether:

Germ cell mutagenicity- Assessment : For the major component(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Germ cell mutagenicity- Assessment : For similar material(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Germ cell mutagenicity- Assessment : For similar material(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

N-methyl-2-pyrrolidone:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative in some cases and positive in other cases., Animal genetic toxicity studies were negative.

Carcinogenicity

Components:

Fluroxypyr-meptyl:

Carcinogenicity - Assessment : For similar active ingredient(s);, Fluroxypyr., Did not cause cancer in laboratory animals.

Polyethylene glycol mono(tristyrylphenyl)ether:

Carcinogenicity - Assessment : For the major component(s);, Polyethylene glycols did not cause cancer in long-term animal studies.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Hydrocarbons, C10, aromatics, <1% naphthalene:

Carcinogenicity - Assessment : Contains naphthalene which has caused cancer in some laboratory animals., However, the relevance of this to humans is unknown.

N-methyl-2-pyrrolidone:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

Components:

Fluroxypyr-meptyl:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Reproductive toxicity - Assessment : For similar material(s);, Did not cause birth defects or any other fetal effects in laboratory animals.

Polyethylene glycol mono(tristyrylphenyl)ether:

Reproductive toxicity - Assessment : For the major component(s);, In animal studies, did not interfere with reproduction.
For the major component(s);, Did not cause birth defects or any other fetal effects in laboratory animals.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Reproductive toxicity - Assessment : For similar material(s);, In animal studies, did not interfere with reproduction.
For similar material(s);, Did not cause birth defects or any other fetal effects in laboratory animals.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
For similar material(s);, Did not cause birth defects or any other fetal effects in laboratory animals.

N-methyl-2-pyrrolidone:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.
N-methyl pyrrolidone has caused toxic effects to the fetus in

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

laboratory animals at high dose levels with either mild or undetectable maternal toxicity.

STOT - single exposure

Product:

Assessment : May cause respiratory irritation.

Components:

Fluroxypyr-meptyl:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Exposure routes : Inhalation
Assessment : May cause respiratory irritation.

Polyethylene glycol mono(tristyrylphenyl)ether:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Exposure routes : Inhalation
Assessment : May cause drowsiness or dizziness.

N-methyl-2-pyrrolidone:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Components:

Fluroxypyr-meptyl:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Repeated dose toxicity

Components:

Fluroxypyr-meptyl:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Remarks : For similar material(s):
Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Polyethylene glycol mono(tristyrylphenyl)ether:

Remarks : Additives are encapsulated in the product and are not expected to be released under normal processing conditions or foreseeable emergency.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Remarks : For similar material(s):
In animals, effects have been reported on the following organs:
Kidney.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

N-methyl-2-pyrrolidone:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Aspiration toxicity

Components:

Fluroxypyr-meptyl:

Based on physical properties, not likely to be an aspiration hazard.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

May be harmful if swallowed and enters airways.

Polyethylene glycol mono(tristyrylphenyl)ether:

Based on physical properties, not likely to be an aspiration hazard.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Based on physical properties, not likely to be an aspiration hazard.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

Hydrocarbons, C10, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

N-methyl-2-pyrrolidone:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Product:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 14.6 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Information source: Internal study report |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 9.6 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Information source: Internal study report

ErC50 (Myriophyllum spicatum): 0.178 mg/l
Exposure time: 14 d
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Information source: Internal study report

NOEC (Myriophyllum spicatum): 0.0152 mg/l
Exposure time: 14 d
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Information source: Internal study report |
| Toxicity to soil dwelling organisms | : | LC50: > 1,000 mg/kg
Exposure time: 14 d
End point: survival
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207 |

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Toxicity to terrestrial organisms : oral LD50: > 2,250 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Fluroxypyr-meptyl:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203 or Equivalent

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 100 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (green algae): > 1.02 mg/l
Exposure time: 72 h

ErC50 (*Navicula pelliculosa* (Diatom)): > 1.410 mg/l
Exposure time: 96 h

ErC50 (*Myriophyllum spicatum*): 0.0113 mg/l
Exposure time: 14 d

NOEC (*Myriophyllum spicatum*): 0.00079 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.32 mg/l
Exposure time: 21 d
Species: Rainbow trout (*Oncorhynchus mykiss*)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0605 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Species: *Eisenia fetida* (earthworms)

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50: > 2000 mg/kg bodyweight.
Exposure time: 5 d
Species: Colinus virginianus (Bobwhite quail)

dietary LC50: > 5000 mg/kg diet.
Species: Colinus virginianus (Bobwhite quail)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

contact LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 7.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 16.06 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Polyethylene glycol mono(tristyrylphenyl)ether:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : Remarks: Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50 (zebra fish (Brachydanio rerio)): 31.6 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

- | | | |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Selenastrum capricornutum (green algae)): 29 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Remarks: For similar material(s): |
| Toxicity to microorganisms | : | EC50 (activated sludge): 550 mg/l
End point: Respiration rates.
Exposure time: 3 h
Remarks: For similar material(s): |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0.23 mg/l
End point: survival
Exposure time: 72 d
Species: Rainbow trout (Salmo gairdneri)
Remarks: For similar material(s): |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 1.18 mg/l
End point: number of offspring
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: For similar material(s): |

Hydrocarbons, C10, aromatics, <1% naphthalene:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Remarks: For similar material(s): |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna): 3 - 10 mg/l
Exposure time: 48 h
Remarks: For similar material(s): |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 11 mg/l
Exposure time: 72 h
Remarks: For similar material(s): |

Ecotoxicology Assessment

- | | | |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Toxic to aquatic life with long lasting effects. |
|--------------------------|---|--|

N-methyl-2-pyrrolidone:

- | | | |
|-------------------------------|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 5,000 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 1,072 mg/l
Exposure time: 96 h
Test Type: static test |
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): > 1,000 mg/l |

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

aquatic invertebrates		Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202 or Equivalent
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l End point: Growth rate inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 or Equivalent
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 12.5 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 or Equivalent

12.2 Persistence and degradability

Components:

Fluroxypyr-meptyl:

Biodegradability	:	Result: Not biodegradable Biodegradation: 32 % Exposure time: 28 d Method: OECD Test Guideline 301D or Equivalent Remarks: 10-day Window: Fail
ThOD	:	2.2 kg/kg
Stability in water	:	Test Type: Hydrolysis Degradation half life: 454 d

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Biodegradability	:	Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Result: Readily biodegradable. Biodegradation: > 80 % Exposure time: 28 d Method: OECD Test Guideline 301F or Equivalent Remarks: 10-day Window: Pass
------------------	---	--

Chemical Oxygen Demand (COD)	:	2.890 mg/g
------------------------------	---	------------

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability	:	Result: Not biodegradable Biodegradation: 2.9 % Exposure time: 28 d Method: OECD Test Guideline 301E or Equivalent Remarks: 10-day Window: Fail
------------------	---	---

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Remarks: Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

N-methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass

Concentration: 30 mg/l
Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d
Method: OECD Test Guideline 301C or Equivalent
Remarks: 10-day Window: Not applicable

Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 8 d
Method: OECD Test Guideline 302B or Equivalent
Remarks: 10-day Window: Not applicable

ThOD : 2.58 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitiser: OH radicals
Rate constant: 2.199E-11 cm³/s
Method: Estimated.

12.3 Bioaccumulative potential

Components:

Fluroxypyr-meptyl:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Method: Measured

Partition coefficient: n-octanol/water :
log Pow: 5.04
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Partition coefficient: n-octanol/water : log Pow: < 3.44 (20 °C)
Remarks: Bioconcentration potential is moderate (BCF be-

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

tween 100 and 3000 or Log Pow between 3 and 5).

Polyethylene glycol mono(tristyrylphenyl)ether:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 4.6
Method: OECD Test Guideline 107 or Equivalent
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.
For similar material(s):
Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

N-methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.38
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

12.4 Mobility in soil

Components:

Fluroxypyr-meptyl:

Distribution among environmental compartments : Koc: 6200 - 43000
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Distribution among environmental compartments : Koc: 527.3
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Distribution among environmental compartments : Remarks: No relevant data found.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Distribution among environmental compartments : Remarks: No relevant data found.

N-methyl-2-pyrrolidone:

Distribution among environmental compartments : Koc: 21
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc be-

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

tween 0 and 50).
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Components:

Fluroxypyr-meptyl:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

N-methyl-2-pyrrolidone:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
----------------	------------------------------	-----------------------------	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number

ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr 1-methylheptyl ester)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr 1-methylheptyl ester)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr 1-methylheptyl ester)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Fluroxypyr 1-methylheptyl ester)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Fluroxypyr 1-methylheptyl ester)

14.6 Special precautions for user

Remarks : Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	N-methyl-2-pyrrolidone
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS

Registration Number : MAPP 16557

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H360D	:	May damage the unborn child.
H373	:	May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2025	800080004813	Date of first issue: 05.09.2025

H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2009/161/EU	: Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2004/37/EC / STEL	: Short term exposure limit
2004/37/EC / TWA	: Long term exposure limit
2009/161/EU / TWA	: Limit Value - eight hours
2009/161/EU / STEL	: Short term exposure limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

Further information

Classification of the mixture:

Eye Irrit. 2	H319
Skin Sens. 1B	H317
STOT SE 3	H335
Aquatic Acute 1	H400

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

According to UK REACH and COSHH Regulations, and their amendments



STARANE™ HI-LOAD HL

Version 1.0	Revision Date: 05.09.2025	SDS Number: 800080004813	Date of last issue: - Date of first issue: 05.09.2025
Aquatic Chronic 1		H410	Based on product data or assessment

Product code: B2A-17-1 (GF-1784)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N